




Health and Safety

Adoption of Conditions of Readiness for School Reopening

Sacramento County Public Health - COVID-19 Levels





CDPH/SCPH Reopening of Schools Criteria

County Risk Level Adjusted Case Rate Positivity Rate Health Equity



October 27th	5.9	2.8%	5%
November 2nd	7.8	3.4%	5.1%
November 10 th	9.7	4.1%	5.7%
November 16th	21.2	6.7%	--

Implications for Purple Tier

- " Schools not already open to all students for in-person instruction must remain closed
- " Schools conducting in-person instruction or supports must maintain mitigation measures, including social distancing, face coverings, and sanitization, in compliance with schools guidance from CDPH and Sacramento County Public Health.
- "



Learning Hubs and Waiver Applications

{ Learning Hubs are allowable under the preexisting CDPH small groups/cohort guidance. Cohorts cannot exceed 16 individuals per cohort or more than 25% of the entire school population.

{ Elementary schools (grades TK-6) may apply for a waiver to conduct in-person instruction. No waiver process exists for middle or high schools.

{ Outdoor only sports conditioning using equipment is allowable for physical education classes and student athletics.



Metrics Components




Metric categories:

- " "Required Measures" per CDPH
- " "Above and Beyond Measures"

Strategic Frame:

- " Minimizing Exposure
- " Mitigating Exposure

Evaluative Frame

- " Not Started 
- " In Process 
- " Completed 

Measures

Minimizing Exposure

”



Attachment A Conditions of Readiness for School Re-Opening

Return to Health Plan completed and videos and website published	Completed
All employees provided access to the Hour Zero COVID training	Completed
Distributed <u>daily</u> site inspection checklist distributed to all site principals	In Progress
Health Screening procedures provided to every site	Completed
All school sites/departments provided with procedures for symptomatic, exposed or positive individuals	Completed
Establish protocols for visitors or non-essential people on campus/work sites by appointment only	Completed
Health Promotion Practices (e.g. Flu Clinic)	Completed
PPE in all classrooms and common spaces (face coverings, hand sanitizer/hand soap, facial tissue)	Completed

Not started ■
 In Progress ■
 Completed ■






Attachment A Conditions of Readiness for School Re-Opening

All school sites provided with procedures for setup and use of care room for individuals	Green
Physically distance all classrooms and limit shared objects/surfaces	Yellow
Daily disinfectant schedule provided to all plant manager and custodial staff	Green
Signage map will be provided for each district facility	Yellow
Install barriers in all front office locations	Green
Install barriers for 1x1 student assessments	Yellow
Install barriers for 1x1 student assessments	Yellow
Install barriers for 1x1 student assessments	Yellow
Install barriers for 1x1 student assessments	Yellow



Attachment A Conditions of Readiness for School Re-Opening

Testing available for all staff physically reporting to work at SCPH Free Community Testing Sites during work hours and process to report positive result immediately	In Progress	Not started  In Progress  Completed 
Publish district dashboard on positive cases where individual exposed was physically present at a work/school site	In Progress	
Require Face Coverings for <u>all</u> grade levels except in cases where there is a medical exemption (please see Return to Health for criteria)	Not started	
Reprogram all units to continuously run with open doors and windows	Completed	
Fully open all dampeners to allow for the maximum draw of outside air	Completed	
Replace filters with the highest MERV-rated filter units are designed to use	Completed	



Disable hand dryers	In Progress	Not started
Turn off drinking fountains	Completed	In Progress
Flush water lines to remove stagnant water and reduce disease risk	Completed	Completed
Install 400 stanchions (movie theater belts) to manage crowd flow	In Progress	Completed
Third-party assessment establishing that all district facilities have implemented all facilities-related measures to mitigate spread of COVID	In Progress	Completed



Adoption of Conditions of Readiness for School Re-Opening